Included In Your Kit

Tools, Components, & Connectors



FMLT-ESS-S-920-2-FOOT x2

FMLT-ESS-S-920-2-LT x2

FMLT-ESS-S-920-2-T3 x1

FMLT-ESS-S-920-2-T2 x1

FMLT-ESS-S-920-2-T1 x1

Graphics



FMLT-S-ESS-S-920-G x1

Exploded Diagram

FMLT-ESS-S-920-2



Labeling Diagram

FMLT-ESS-S-920-2



Kit Assembly

Step by Step

Step 1.

Gather the components to build the frame. Use the Exploded View and the Labeling Diagram for part labels.

Reference Connection Method(s) 1 for more details.





Step 2.

Gather the components to attach base hardware. Use the Exploded View and the Labeling Diagram for part labels.

Reference Connection Method(s) 2 for more details.





Step 3.

Gather the components to attach the graphic. Use the Exploded View and the Labeling Diagram for part labels.

Step 4.

Setup is complete.



Connection Methods

Connection Method 1: FMLT-ESS-S-FOOT



First, attach the base plate with the M10 screw. Once the base plate is in the desired position, fasten the set screw to hold the insert in place.

Connection Method 2: Swage Tube with Snap Button



Attaching the tube swage design end and snap button is easy - simply press the snap button in and slide it into the next tube. With the tube on, make sure the snap button comes out all the way through the tube hole.